

Bronchiectasis Management Tool

This guide can help you talk to your pulmonologist about managing bronchiectasis, setting treatment goals, and whether once-daily BRINSUPRI may be right for you.



What is BRINSUPRI?

BRINSUPRI is a prescription medicine used to treat non-cystic fibrosis bronchiectasis (NCFB) in adults and children 12 years of age and older. It is not known if BRINSUPRI is safe and effective in children under 12 years of age.

IMPORTANT SAFETY INFORMATION

Before taking BRINSUPRI, tell your healthcare provider about all of your medical conditions, including if you:

- have recently received or are scheduled to receive any live attenuated vaccinations.
- are pregnant or plan to become pregnant. It is not known if BRINSUPRI will harm your unborn baby.
- are breastfeeding or plan to breastfeed. It is not known if BRINSUPRI passes into your breast milk. Talk to your healthcare provider about the best way to feed your baby during this time.

Please see additional Important Safety Information throughout and full [Prescribing Information](#) and [Patient Information](#) at [BRINSUPRI.com](https://brinsupri.com).

Use these questions as a guide to help prepare for your next doctor's visit

Here are some questions you can ask your pulmonologist about BRINSUPRI:

- ☐ What are the goals of treating with BRINSUPRI? Can it help reduce flares?
- ☐ How do we decide if BRINSUPRI is right for me?
- ☐ How do I take BRINSUPRI?
- ☐ When can I expect to see results from BRINSUPRI?
- ☐ What are the potential side effects of BRINSUPRI?
- ☐ Is there a support program available to help me get started on BRINSUPRI?

These are sample questions to help get the conversation started between you and your pulmonologist. This is not, nor is it intended to be, a medical evaluation, examination, advice, consultation, diagnosis, or treatment. Always consult your pulmonologist for all medical- and health-related matters.

Ask your pulmonologist about reducing bronchiectasis flares with BRINSUPRI.

What is BRINSUPRI?

BRINSUPRI is a prescription medicine used to treat non-cystic fibrosis bronchiectasis (NCFB) in adults and children 12 years of age and older. It is not known if BRINSUPRI is safe and effective in children under 12 years of age.

IMPORTANT SAFETY INFORMATION

Before taking BRINSUPRI, tell your healthcare provider about all of your medical conditions, including if you:

- have recently received or are scheduled to receive any live attenuated vaccinations.
- are pregnant or plan to become pregnant. It is not known if BRINSUPRI will harm your unborn baby.
- are breastfeeding or plan to breastfeed. It is not known if BRINSUPRI passes into your breast milk. Talk to your healthcare provider about the best way to feed your baby during this time.

Please see additional Important Safety Information throughout and full [Prescribing Information](#) and [Patient Information](#) at [BRINSUPRI.com](#).

Bronchiectasis (BE) is driven by interconnected factors that can cause your symptoms to worsen

These worsening symptoms can be a sign of a flare, and flares can lead to lung damage.



Chronic airway inflammation

As your body's immune system tries to clear infection and address inflammation in your lungs, this process can result in **chronic irritation and swelling, or inflammation**.



Lung infection

Increased mucus creates an **attractive environment for bacteria to grow**. This can lead to chronic infection, inflammation, and damage.




Difficulty clearing mucus

As mucus builds up in the airways, it becomes **difficult to clear**, creating an attractive environment for bacteria to grow.



Lung damage

In BE, airways are **abnormally widened and damaged**, which makes it difficult to clear mucus from the airways.



Work with your pulmonologist to create a treatment plan that works for you.

IMPORTANT SAFETY INFORMATION (cont'd)

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Do not change or stop your medicines unless your healthcare provider tells you to.

BRINSUPRI may cause serious side effects including:

- **Skin problems.** Tell your healthcare provider about any new skin symptoms. Your healthcare provider may send you to a dermatologist for an examination, if needed.
- **Dental problems.** Get regular dental checkups while taking BRINSUPRI. Brush and clean your teeth as recommended by your dentist. Tell your healthcare provider and contact your dentist if you experience new gum (gingival) or teeth (dental) symptoms.

Please see additional Important Safety Information throughout and full [Prescribing Information](#) and [Patient Information](#) at [BRINSUPRI.com](https://brinsupri.com).

Discussing bronchiectasis (BE) with your doctor

Management strategies that may address the main factors of BE can include:



Flares associated with BE inflammation

- Once-daily BRINSUPRI, a treatment for people 12 years and older with non-cystic fibrosis bronchiectasis



Difficulty clearing mucus

- Mucus-thinning medications
- Bronchodilators
- Airway clearance techniques



Lung infection

- Antibiotics



Lung damage

- Pulmonary rehabilitation
- Bronchodilators
- Surgery

Other questions to ask your doctor:

- | | |
|---|--|
| <input type="checkbox"/> How should I tell you if I have a flare? | <input type="checkbox"/> What lifestyle changes should I make? |
| <input type="checkbox"/> How can I reduce BE flares? | <input type="checkbox"/> Am I a candidate for pulmonary rehabilitation? |
| <input type="checkbox"/> What kind of airway clearance should I be doing and how often? | <input type="checkbox"/> How can I find a support group to connect with other BE patients? |
| <input type="checkbox"/> Other: _____ | |



To learn more about BRINSUPRI, scan the QR code or visit [BRINSUPRI.com](https://www.brinsupri.com).

IMPORTANT SAFETY INFORMATION (cont'd)

Common side effects of BRINSUPRI

The most common side effects of BRINSUPRI include upper respiratory tract infection, headache, rash, dry skin, small areas of skin thickening (hyperkeratosis), and high blood pressure (hypertension).

Less common side effects include abnormal liver blood test, hair loss (alopecia), and skin cancers.

These are not all of the possible side effects of BRINSUPRI.

Call your doctor for medical advice about side effects. You may report side effects to the FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

Please see additional Important Safety Information throughout and full [Prescribing Information](#) and [Patient Information](#) at [BRINSUPRI.com](https://www.brinsupri.com).